AUTHOR INDEX TO VOLUME 68

Abraham, N.B. and C.O. Weiss, Dynamical frequency shifts and intensity pulsations in an FIR bidirectional ring laser 68 (1988) 437
Achasov, O.V., V.G. Belkin, G.N. Blinkov, P.L. Kukharchik, A.S. Skripko and N.A. Fomin, Infra-red speckle photography on a metal thermoplastic carrier 68 (1988) 171
Aizu, Y. and T. Asakura, Velocity dependence of dynamic speckles produced by a moving diffuser with background noise 68 (1988) 329
Alonso, E.M., R.J. d'Angelo, E.J. Quel, A.L. Peuriot and V.B. Slezak, Vibration-translation relaxation rates of vibrationally excited CF_2Cl_2 68 (1988) 265
Arnaud, J., Contribution of shot noise to laser diode linewidth 68 (1988) 423
Asakura, T., see Y. Aizu 68 (1988) 329
Azzam, R.M.A., Polarization-based technique for separating copropagating waves of different wavelengths 68 (1988) 396

Badiqué, E., N. Ohyama, T. Honda and J. Tsujiuchi, Color image correlation for spatial/spectral recognition and increased selectivity 68 (1988) 91
Ballagh, R.J., see A.W. McCord 68 (1988) 375
Balmer, J.E., see P.F. Cunningham 68 (1988) 412
Bandy, D.K., see L.A. Lugiato 68 (1988) 63
Bányász, I., see Z. Füzessy 68 (1988) 404
Bao, Q., see L. Min 68 (1988) 427
Barbini, R., A. Ghigo, A. Palucci and S. Ribezzo, Line tunable TEA CO_2 laser using SFUR configuration 68 (1988) 41
Barnett, S.M. and P.M. Radmore, Quantum theory of cavity quasimodes 68 (1988) 364
Bass, F.G., Yu.S. Kivshar, V.V. Konotop and S.A. Puzenko, Propagation of nonlinear incoherent pulses in single-mode optical fibers 68 (1988) 385
Bedi, J.S., see R. Golshan 68 (1988) 175
Belkin, V.G., see O.V. Achasov 68 (1988) 171
Berriel-Valdós, L.R., C. Gonzalo and J. Bescós, Computation of the Wigner distribution function by the Hartley transform. Application to image restoration 68 (1988) 339
Bertomeu, J., see S. Vallmitjana 68 (1988) 334
Bescós, J., see L.R. Berriel-Valdós 68 (1988) 339
Blinkov, G.N., see O.V. Achasov 68 (1988) 171
Bloisi, F., Soret effect in periodic forced Rayleigh scattering 68 (1988) 87
Bloisi, F., L. Vicari, P. Cavaliere, S. Martelluci and J. Quartieri, Spatial filtering in the detection of transverse phase modulation through a nonlinear thin film 68 (1988) 391
Bonifacio, R., G. Maroli and N. Piovella, Slippage and superradiance in the high-gain FEL: linear theory 68 (1988) 369
Borysow, J., R.H. Taylor and J.W. Keto, Raman induced Kerr effect spectroscopy using pulsed lasers 68 (1988) 80
Bosch, S., see S. Vallmitjana 68 (1988) 334
Bose, N.K., see Y.Q. Shi 68 (1988) 251

0 030-4018/88/$03.50 © Elsevier Science Publishers B.V.
(North-Holland Physics Publishing Division)

Boursey, E., H. Damany, J. D'Incan, C. Effantin and A. Topouzkhanian, Optically-pumped collective emission in $^{130}Te_2$ 68 (1988) 114
Brekhovskhikh, G.L., see Ng. Phu Xuan 68 (1988) 244
Brown, C.M., U. Feldman, J.F. Seely, M.C. Richardson, H. Chen, J.H. Underwood and A. Zigler, Imaging of laser-produced plasmas at 44 Å using a multilayer mirror 68 (1988) 190
Bruzzese, R., see C. de Lisio 68 (1988) 352
Bryngdahl, O., see D. Just 68 (1988) 179
Burge, R.E., see W.J. Hossack 68 (1988) 97

Campos, J., see S. Vallmitjana 68 (1988) 334
Capozzi, V., C. Flesia and A. Minafra, Anomalous dips in extinction spectra of disordered carbon grains 68 (1988) 166
Cavaliere, P., see F. Bloisi 68 (1988) 391
Chen, H., see C.M. Brown 68 (1988) 190
Cheng, B., see J. Zhang 68 (1988) 220, 442
Christov, I.P. and M.B. Danailov, Pulse compression by free electrons 68 (1988) 291
Cooper, J., see A.W. McCord 68 (1988) 375
Copic, M., see D. Hanzel 68 (1988) 431
Craig, D., Optical bistability and electrically controlled optical switching in non-band gap resonant CdHgTe 68 (1988) 69
Csillag, L., see M. Jánossy 68 (1988) 58
Cunningham, P.F., R. Weber, P. Lädrach and J.E. Balmer, Plasma evolution in laser-irradiated cylindrical cavities 68 (1988) 412

Dainty, J.C., see L.M. Kani 68 (1988) 11
Dalibard, J., Laser cooling of an optically thick gas: the simplest radiation pressure trap? 68 (1988) 203
Damany, H., see E. Boursey 68 (1988) 114
Danailov, M.B., see I.P. Christov 68 (1988) 291
D'Angelo, R.J., see E.M. Alonso 68 (1988) 265
Danileyko, M.V., A.L. Kravchuk, A.M. Tselinko and L.P. Yatsenko, Iodine stabilized HeNe laser at 612 nm with composite resonator 68 (1988) 263
Dawson, M.D., see T.S. Stark 68 (1988) 361
De Lisio, C. and R. Bruzzese, Vibrational–translational relaxation time spectroscopy of polyatomic molecules 68 (1988) 352
Denz, C., see J. Goltz 68 (1988) 228, 453
D'Incan, J., see E. Boursey 68 (1988) 114
Dwayne Miller, R.J., see L. Min 68 (1988) 427

Effantin, C., see E. Boursey 68 (1988) 114

Fan, H.-Y. and H.R. Zaidi, An exact calculation of the expectation values of phase operators in squeezed states 68 (1988) 143
Farahi, F., see A.S. Gerges 68 (1988) 157
Farahi, F., see T.P. Newson 68 (1988) 161
Feldman, U., see C.M. Brown 68 (1988) 190
Fellman, T., see B. Ståhlberg 68 (1988) 209
Ferguson, A.I., see D.C. Hanna 68 (1988) 128

Ferrier, J.L., see Ng. Phu Xuan 68 (1988) 244
Flesia, C., see V. Capozzi 68 (1988) 166
Fomin, N.A., see O.V. Achasov 68 (1988) 171
Füzessy, Z., F. Gyimesi and I. Bányász, Difference holographic interferometry (DHI): single reference beam technique 68 (1988) 404

Garrett, W.R., see M.A. Moore 68 (1988) 310
Gawlik, W. and R. Neumann, Plasma production in a Cs vapour via single-photon ionisation with excimer laser light 68 (1988) 345
Gazengel, J., see Ng. Phu Xuan 68 (1988) 244
Geister, G. and R. Ulrich, Neodymium-fibre laser with integrated-optic mode locker 68 (1988) 187
Gerges, A.S., T.P. Newson, F. Farahi, J.D.C. Jones and D.A. Jackson, A hemispherical air cavity fibre Fabry–Perot sensor 68 (1988) 157
Ghigo, A., see R. Barbini 68 (1988) 41
Giulietti, D., Refraction effects in laser–plasma interaction 68 (1988) 399
Glas, P., R. Müller and G. Wallis, Determination of power spectra and attractor dimensions for a GaAlAs laser with external feedback 68 (1988) 133
Golshan, R. and J.S. Bedi, Implementation of carry-lookahead adder with spatial light modulators 68 (1988) 175
Goltz, J., C. Denz and T. Tschudi, Dynamics of hologram readout in photorefractive crystals for broken Bragg-condition 68 (1988) 228
Goltz, J., C. Denz and T. Tschudi, Critical coupling strength for enhanced four-wave mixing by use of moving interference gratings in photorefractive crystals 68 (1988) 453
Gong, M., see Z. Lin 68 (1988) 418
Gonzalo, C., see L.R. Berriel-Valdós 68 (1988) 339
Gori, F., G. Guattari, C. Palma and C. Padovani, Specular cross-spectral density functions 68 (1988) 239
Gouveia-Neto, A.S., A.S.B. Sombra and J.R. Taylor, A Nd:YAG laser pumped soliton self-frequency shifter 68 (1988) 139
Große-Wilde, H., see N. Wenzel 68 (1988) 75
Grzegorzewski, B., Contrast of an integrated fringe pattern generated by partially developed speckle 68 (1988) 117
Gu, Z., see Z. Lin 68 (1988) 418
Guattari, G., see F. Gori 68 (1988) 239
Gupta, P.K., see S.C. Mehendale 68 (1988) 301
Gyimesi, F., see Z. Füzessy 68 (1988) 404

Haelterman, M., Coupled-cavity configuration for optical bistability 68 (1988) 305
Hall, D.R., see G.N. Pearson 68 (1988) 52
Hanna, D.C., R.G. Smart, P.J. Suni, A.I. Ferguson and M.W. Phillips, Measurements of fibre laser losses via relaxation oscillations 68 (1988) 128
Hanzel, D. and M. Copic, Determination of EM field in Q-switched laser resonators 68 (1988) 431
He, X., see Z. Lin 68 (1988) 418
Hillerich, B., Trade-off between beam truncation and defocussing with taper lenses on single-mode fibers 68 (1988) 183
Honda, T., see E. Badiqué 68 (1988) 91
Honda, T., see J. Huang 68 (1988) 235
Horváth, P., see M. Jánossy 68 (1988) 58

Hossack, W.J., P. McOwan and R.E. Burge, Computer generated optical fan-out element 68 (1988) 97
Huang, H.X., L.R. Liu, Y.Z. Yin and L.Y. Zhao, Fast parallel complex discrete Fourier transforms using a multichannel optical correlator 68 (1988) 408
Huang, J., T. Honda, N. Ohyama and J. Tsujiuchi, Fringe scanning scatter plate interferometer using a polarized light 68 (1988) 235
Huemer, M., see G.A. Reider 68 (1988) 149

Ishida, Y., T. Tokizaki and T. Yajima, High-repetition-rate amplification of tunable femtosecond pulses with a Q-switched cw Nd:YAG pumping laser 68 (1988) 295
Izatt, J.R., see W.-S. Zhu 68 (1988) 277

Jackson, D.A., see A.S. Gerges 68 (1988) 157
Jackson, D.A., see T.P. Newson 68 (1988) 161
Jánossy, M., P. Mezei, P. Horváth and L. Csillag, Pulsed noble gas mixture slotted hollow cathode lasers 68 (1988) 58
Jin, G.X., J.M. Yuan, L.M. Narducci, Y.S. Liu and E.J. Seibert, Theoretical and experimental studies of conical Stokes emission 68 (1988) 379
Jones, J.D.C., see A.S. Gerges 68 (1988) 157
Jones, J.D.C., see T.P. Newson 68 (1988) 161
Jungner, P., see B. Ståhlberg 68 (1988) 209
Just, D. and O. Bryngdahl, Phase information in binary image encoding 68 (1988) 179
Juvells, I., see S. Vallmitjana 68 (1988) 334

Kani, L.M. and J.C. Dainty, Super-resolution using the Gerchberg algorithm 68 (1988) 11
Karasawa, S., see M. Miyagi 68 (1988) 18
Kazantsev, A.P., G.I. Surdutovich and V.P. Yakovlev, Grating of neutral atoms in standing light waves field 68 (1988) 103
Keto, J.W., see J. Borysow 68 (1988) 80
Kivshar, Yu.S., see F.G. Bass 68 (1988) 385
Konotop, V.V., see F.G. Bass 68 (1988) 385
Kopilovich, L.E., Construction of nonredundant masks over square grids using difference sets 68 (1988) 7
Kravchuk, A.L., see M.V. Danileyko 68 (1988) 263
Kubota, H., see K. Kurokawa 68 (1988) 287
Kudriavtseva, A.D., see Ng. Phu Xuan 68 (1988) 244
Kudryavtsev, Yu.A., V.S. Letokhov and V.V. Petrunin, Collinear laser photoionization of helium isotopes in a fast atomic beam 68 (1988) 25
Kukharchik, P.L., see O.V. Achasov 68 (1988) 171
Kurokawa, K., H. Kubota and M. Nakazawa, 48 fs, 190 kW pulse generation from a cavity dumped, synchronously pumped dye laser 68 (1988) 287

Lädrach, P., see P.F. Cunningham 68 (1988) 412
Langhoff, H., The origin of the third continua emitted by excited rare gases 68 (1988) 31
Lawson, K.D. and N.J. Peacock, The effect of the instrument function on Doppler ion temperature measurements 68 (1988) 121
Lee, K.K., Pulsed, frequency stable, narrow linewidth master oscillator 68 (1988) 271
Lei, Z., see Z. Lin 68 (1988) 418

Letokhov, V.S., see Yu.A. Kudryavtsev 68 (1988) 25
Li, J.-M., see Z. Lin 68 (1988) 418
Li, Y., Focusing non-truncated elliptical gaussian beams 68 (1988) 317
Li, Y., Variations of the axial intensity pattern formed by a focused truncated gaussian beam 68 (1988) 324
Lin, Z., J.-M. Li, M. Gong, H. Zhang, X. Zhang, X. He, Z. Lei, Q. Lu, Z. Gu, B. Yang, W. Zhao, Y. Zhuang and W. Yu, Temperal evolution of X-ray spectra from laser microtube targets 68 (1988) 418
Little, C.E. and J.A. Piper, Average-power limitations of large-aperture self-heated Ca^+ afterglow-recombination lasers 68 (1988) 282
Liu, L.R., see H.X. Huang 68 (1988) 408
Liu, Y.S., see G.X. Jin 68 (1988) 379
Lu, Q., see Z. Lin 68 (1988) 418
Lugiato, L.A., G.-L. Oppo, M.A. Pernigo, J.R. Tredicce, L.M. Narducci and D.K. Bandy, Spontaneous spatial pattern formation in lasers and cooperative frequency locking 68 (1988) 63

Mandel, L., see L.J. Wang 68 (1988) 357
Marinelli, M., see R. Pizzoferrato 68 (1988) 231
Maroli, C., see R. Bonifacio 68 (1988) 369
Marowsky, G., see N. Wenzel 68 (1988) 75
Martellucci, S., see R. Pizzoferrato 68 (1988) 231
Martelluci, S., see F. Bloisi 68 (1988) 391
McCord, A.W., R.J. Ballagh and J. Cooper, Effects of scattered radiation on non-linear light propagation 68 (1988) 375
McOwan, P., see W.J. Hossack 68 (1988) 97
Mehendale, S.C. and P.K. Gupta, Effect of double refraction on type II phase matched second harmonic generation 68 (1988) 301
Mezei, P., see M. Jánossy 68 (1988) 58
Mezentsev, V.K. and G.I. Smirnov, Magnetooptical solitons and simultons 68 (1988) 153
Min, L., Q. Bao and R.J. Dwayne Miller, Cavity dumped operation of a cw pumped Q-switched and mode-locked YLF laser 68 (1988) 427
Minafra, A., see V. Capozzi 68 (1988) 166
Miyagi, M. and S. Karasawa, A comparative study of rectangular and circular dielectric-coated metallic waveguides for CO_2 laser light: theory 68 (1988) 18
Mizunami, T. and K. Takagi, Two-photon absorption in silica optical fibers measured with a XeBr excimer laser 68 (1988) 223
Moore, M.A., W.R. Garrett and M.G. Payne, Suppression of electronic hyper-Raman emission by four-wave mixing interference 68 (1988) 310
Morin, M., M. Piche and R. Tremblay, Active mode-locking through loss modulation: chirped pulse solutions 68 (1988) 213
Müller, R., see P. Glas 68 (1988) 133

Nakazawa, M., see K. Kurokawa 68 (1988) 287
Narducci, L.M., see L.A. Lugiato 68 (1988) 63
Narducci, L.M., see G.X. Jin 68 (1988) 379
Neumann, R., see W. Gawlik 68 (1988) 345
Newson, T.P., see A.S. Gerges 68 (1988) 157

Newson, T.P., F. Farahi, J.D.C. Jones and D.A. Jackson, Combined interferometric and polarimetric fibre optic temperature sensor with a short coherence length source 68 (1988) 161

Ohyama, N., see E. Badiqué 68 (1988) 91
Ohyama, N., see J. Huang 68 (1988) 235
Oppo, G.-L., see L.A. Lugiato 68 (1988) 63

Padovani, C., see F. Gori 68 (1988) 239
Palma, C., see F. Gori 68 (1988) 239
Palucci, A., see R. Barbini 68 (1988) 41
Pantelic, D.V., Sectors of a binary image used for noise insensitive pattern recognition 68 (1988) 257
Payne, M.G., see M.A. Moore 68 (1988) 310
Peacock, N.J., see K.D. Lawson 68 (1988) 121
Pearson, G.N. and D.R. Hall, RF excited carbon monoxide laser 68 (1988) 52
Penzkofer, A., see H. Schillinger 68 (1988) 45
Pernigo, M.A., see L.A. Lugiato 68 (1988) 63
Petersen, P.M., Phase mismatching in a perturbational approach to degenerate four-wave mixing 68 (1988) 449
Petrunin, V.V., see Yu.A. Kudryavtsev 68 (1988) 25
Peuriot, A.L., see E.M. Alonso 68 (1988) 265
Phillips, M.W., see D.C. Hanna 68 (1988) 128
Phu Xuan, Ng., J.L. Ferrier, J. Gazengel, G. Rivoire, G.L. Brekhovskhikh, A.D. Kudriavtseva, A.I. Sokolovskaia and N.V. Tcherniega, Changes in the space structures of light beams induced by nonlinear optical phenomena: application to phase contrast and image processing 68 (1988) 244
Piche, M., see M. Morin 68 (1988) 213
Piovella, N., see R. Bonifacio 68 (1988) 369
Piper, J.A., see C.E. Little 68 (1988) 282
Pizzoferrato, R., M. Marinelli, U. Zammit, F. Scudieri, S. Martellucci and M. Romagnoli, Optically induced reorientational birefringence in an artificial anisotropic Kerr medium 68 (1988) 231
Puzenko, S.A., see F.G. Bass 68 (1988) 385

Quartieri, J., see F. Bloisi 68 (1988) 391
Quel, E.J., see E.M. Alonso 68 (1988) 265

Radmore, P.M., see S.M. Barnett 68 (1988) 364
Reider, G.A., M. Huemer and A.J. Schmidt, Surface second harmonic generation spectroscopy without interference of substrate contributions 68 (1988) 149
Ribezzo, S., see R. Barbini 68 (1988) 41
Richardson, M.C., see C.M. Brown 68 (1988) 190
Rivoire, G., see Ng. Phu Xuan 68 (1988) 244
Romagnoli, M., see R. Pizzoferrato 68 (1988) 231

Schäfer, F.P., see S. Szatmári 68 (1988) 196
Schillinger, H. and A. Penzkofer, Active–passive mode-locked and mechanically Q-switched frequency tunable Nd:glass laser 68 (1988) 45
Schlemmer, G., see N. Wenzel 68 (1988) 75

Schmidt, A.J., see G.A. Reider 68 (1988) 149
Scudieri, F., see R. Pizzoferrato 68 (1988) 231
Seely, J.F., see C.M. Brown 68 (1988) 190
Seibert, E.J., see G.X. Jin 68 (1988) 379
Shi, Y.Q. and N.K. Bose, Some results in nonnegativity constrained spectral factorization 68 (1988) 251
Shishido, F., A novel method for ultra-fine control of an optical path 68 (1988) 1
Skripko, A.S., see O.V. Achasov 68 (1988) 171
Slezak, V.B., see E.M. Alonso 68 (1988) 265
Smart, R.G., see D.C. Hanna 68 (1988) 128
Smirl, A.L., see T.S. Stark 68 (1988) 361
Smirnov, G.I., see V.K. Mezentsev 68 (1988) 153
Sokolovskaia, A.I., see Ng. Phu Xuan 68 (1988) 244
Sombra, A.S.B., see A.S. Gouveia-Neto 68 (1988) 139
Stadnik, V.A., Optical bistability and effect of output signal pulsations due to increasing absorption in bulk ZnSe 68 (1988) 445
Ståhlberg, B., P. Jungner and T. Fellman, Stabilization of a single mode dye laser to a HeNe laser using magnetic modulation of a three-level neon system 68 (1988) 209
Stark, T.S., M.D. Dawson and A.L. Smirl, Synchronous and hybrid mode-locking of a Styryl 13 dye laser 68 (1988) 361
Suni, P.J., see D.C. Hanna 68 (1988) 128
Surdutovich, G.I., see A.P. Kazantsev 68 (1988) 103
Szatmári, S. and F.P. Schäfer, Simplified laser system for the generation of 60 fs pulses at 248 nm 68 (1988) 196

Takagi, K., see T. Mizunami 68 (1988) 223
Taylor, J.R., see A.S. Gouveia-Neto 68 (1988) 139
Taylor, R.H., see J. Borysow 68 (1988) 80
Tcherniega, N.V., see Ng. Phu Xuan 68 (1988) 244
Tokizaki, T., see Y. Ishida 68 (1988) 295
Topouzkhanian, A., see E. Boursey 68 (1988) 114
Trautmann, B., see N. Wenzel 68 (1988) 75
Tredicce, J.R., see L.A. Lugiato 68 (1988) 63
Tremblay, R., see M. Morin 68 (1988) 213
Tschudi, T., see J. Goltz 68 (1988) 228, 453
Tselinko, A.M., see M.V. Danileyko 68 (1988) 263
Tsujiuchi, J., see E. Badiqué 68 (1988) 91
Tsujiuchi, J., see J. Huang 68 (1988) 235

Ulrich, R., see G. Geister 68 (1988) 187
Ulstrup, J., see M.G. Zakaraya 68 (1988) 107
Underwood, J.H., see C.M. Brown 68 (1988) 190

Vallmitjana, S., J. Bertomeu, I. Juvells, S. Bosch and J. Campos, Optical edge detection by a holographic filtering method 68 (1988) 334
Vicari, L., see F. Bloisi 68 (1988) 391

Wallis, G., see P. Glas 68 (1988) 133

Wang, L.J. and L. Mandel, Reduction of the effects of backscattering in a HeNe ring laser by increased loss and gain 68 (1988) 357
Wang, T., see J. Zhang 68 (1988) 220, 442
Weber, R., see P.F. Cunningham 68 (1988) 412
Weiss, C.O., see N.B. Abraham 68 (1988) 437
Welz, B., see N. Wenzel 68 (1988) 75
Wenzel, N., B. Trautmann, H. Große-Wilde, G. Schlemmer, B. Welz and G. Marowsky, CARS temperature studies of the gas phase in a Massmann-type graphite tube furnace 68 (1988) 75
Wu, C.Y.R., see T.S. Yih 68 (1988) 35

Yajima, T., see Y. Ishida 68 (1988) 295
Yakovlev, V.P., see A.P. Kazantsev 68 (1988) 103
Yang, B., see Z. Lin 68 (1988) 418
Yang, S. and S. Zhang, The frequency split phenomenon in a HeNe laser with a rotational quartz plate in its cavity 68 (1988) 55
Yatsenko, L.P., see M.V. Danileyko 68 (1988) 263
Yih, T.S. and C.Y.R. Wu, Observation of an ultraviolet diffuse band in the Na_2 molecule 68 (1988) 35
Yin, Y.Z., see H.X. Huang 68 (1988) 408
Yu, W., see Z. Lin 68 (1988) 418
Yuan, J.M., see G.X. Jin 68 (1988) 379

Zaidi, H.R., see H.-Y. Fan 68 (1988) 143
Zakaraya, M.G. and J. Ulstrup, Optical bandshape theory of Voigt profiles and approximate analytical calculation of broadening parameters for observed spectral absorption bands 68 (1988) 107
Zammit, U., see R. Pizzoferrato 68 (1988) 231
Zhang, D., see J. Zhang 68 (1988) 220, 442
Zhang, H., see Z. Lin 68 (1988) 418
Zhang, J., B. Cheng, D. Zhang, L. Zhao, Y. Zhao and T. Wang, Atomic lead photodissociation laser at 722.9 nm 68 (1988) 220
Zhang, J., L. Zhao, B. Cheng, D. Zhang, Y. Zhao and T. Wang, Generation of high-order stimulated Raman scattering in photolytic atomic Pb 68 (1988) 442
Zhang, S., see S. Yang 68 (1988) 55
Zhang, X., see Z. Lin 68 (1988) 418
Zhao, L., see J. Zhang 68 (1988) 220, 442
Zhao, L.Y., see H.X. Huang 68 (1988) 408
Zhao, W., see Z. Lin 68 (1988) 418
Zhao, Y., Soliton propagation in optical fibers with random perturbations 68 (1988) 21
Zhao, Y., see J. Zhang 68 (1988) 220, 442
Zhu, W.-S. and J.R. Izatt, Low J-number behavior of the $^{13}CH_3F$ Raman FIR laser 68 (1988) 277
Zhuang, Y., see Z. Lin 68 (1988) 418
Zigler, A., see C.M. Brown 68 (1988) 190

SUBJECT INDEX TO VOLUME 68

Propagation and transmission in homogeneous media

A novel method for ultra-fine control of an optical path, F. Shishido 68 (1988) 1
Soret effect in periodic forced Rayleigh scattering, F. Bloisi 68 (1988) 87
A hemispherical air cavity fibre Fabry–Perot sensor, A.S. Gerges, T.P. Newson, F. Farahi, J.D.C. Jones and D.A. Jackson 68 (1988) 157
Combined interferometric and polarimetric fibre optic temperature sensor with a short coherence length source, T.P. Newson, F. Farahi, J.D.C. Jones and D.A. Jackson 68 (1988) 161
Anomalous dips in extinction spectra of disordered carbon grains, V. Capozzi, C. Flesia and A. Minafra 68 (1988) 166
Fringe scanning scatter plate interferometer using a polarized light, J. Huang, T. Honda, N. Ohyama and J. Tsujiuchi 68 (1988) 235
Specular cross-spectral density functions, F. Gori, G. Guattari, C. Palma and C. Padovani 68 (1988) 239
Focusing non-truncated elliptical gaussian beams, Y. Li 68 (1988) 317
Variations of the axial intensity pattern formed by a focused truncated gaussian beam, Y. Li 68 (1988) 324
Spatial filtering in the detection of transverse phase modulation through a nonlinear thin film, F. Bloisi, L. Vicari, P. Cavaliere, S. Martelluci and J. Quartieri 68 (1988) 391
Polarization-based technique for separating copropagating waves of different wavelengths, R.M.A. Azzam 68 (1988) 396
Refraction effects in laser–plasma interaction, D. Giulietti 68 (1988) 399

Propagation and transmission in inhomogeneous media

Velocity dependence of dynamic speckles produced by a moving diffuser with background noise, Y. Aizu and T. Asakura 68 (1988) 329

Optical information, image formation and analysis, optical computing

Construction of nonredundant masks over square grids using difference sets, L.E. Kopilovich 68 (1988) 7
Super-resolution using the Gerchberg algorithm, L.M. Kani and J.C. Dainty 68 (1988) 11
Soret effect in periodic forced Rayleigh scattering, F. Bloisi 68 (1988) 87
Color image correlation for spatial/spectral recognition and increased selectivity, E. Badiqué, N. Ohyama, T. Honda and J. Tsujiuchi 68 (1988) 91
Computer generated optical fan-out element, W.J. Hossack, P. McOwan and R.E. Burge 68 (1988) 97
Infra-red speckle photography on a metal thermoplastic carrier, O.V. Achasov, V.G. Belkin, G.N. Blinkov, P.L. Kukharchik, A.S. Skripko and N.A. Fomin 68 (1988) 171
Implementation of carry-lookahead adder with spatial light modulators, R. Golshan and J.S. Bedi 68 (1988) 175
Phase information in binary image encoding, D. Just and O. Bryngdahl 68 (1988) 179
Changes in the space structures of light beams induced by nonlinear optical phenomena: application to phase contrast and image processing, Ng. Phu Xuan, J.L. Ferrier,

J. Gazengel, G. Rivoire, G.L. Brekhovskhikh, A.D. Kudriavtseva, A.I. Sokolovskaia and N.V. Tcherniega 68 (1988) 244
Some results in nonnegativity constrained spectral factorization, Y.Q. Shi and N.K. Bose 68 (1988) 251
Sectors of a binary image used for noise insensitive pattern recognition, D.V. Pantelic 68 (1988) 257
Optical edge detection by a holographic filtering method, S. Vallmitjana, J. Bertomeu, I. Juvells, S. Bosch and J. Campos 68 (1988) 334
Computation of the Wigner distribution function by the Hartley transform. Application to image restoration, L.R. Berriel-Valdós, C. Gonzalo and J. Bescós 68 (1988) 339
Difference holographic interferometry (DHI): single reference beam technique, Z. Füzessy, F. Gyimesi and I. Bányász 68 (1988) 404
Fast parallel complex discrete Fourier transforms using a multichannel optical correlator, H.X. Huang, L.R. Liu, Y.Z. Yin and L.Y. Zhao 68 (1988) 408

Optical communications

A comparative study of rectangular and circular dielectric-coated metallic waveguides for CO_2 laser light: theory, M. Miyagi and S. Karasawa 68 (1988) 18
Soliton propagation in optical fibers with random perturbations, Y. Zhao 68 (1988) 21
Trade-off between beam truncation and defocussing with taper lenses on single-mode fibers, B. Hillerich 68 (1988) 183
Neodymium-fibre laser with integrated-optic mode locker, G. Geister and R. Ulrich 68 (1988) 187

Atomic and molecular physics

Collinear laser photoionization of helium isotopes in a fast atomic beam, Yu.A. Kudryavtsev, V.S. Letokhov and V.V. Petrunin 68 (1988) 25
The origin of the third continua emitted by excited rare gases, H. Langhoff 68 (1988) 31
Observation of an ultraviolet diffuse band in the Na_2 molecule, T.S. Yih and C.Y.R. Wu 68 (1988) 35
Grating of neutral atoms in standing light waves field, A.P. Kazantsev, G.I. Surdutovich and V.P. Yakovlev 68 (1988) 103
Optical bandshape theory of Voigt profiles and approximate analytical calculation of broadening parameters for observed spectral absorption bands, M.G. Zakaraya and J. Ulstrup 68 (1988) 107
Optically-pumped collective emission in $^{130}Te_2$, E. Boursey, H. Damany, J. D'Incan, C. Effantin and A. Topouzkhanian 68 (1988) 114
Vibration-translation relaxation rates of vibrationally excited CF_2Cl_2, E.M. Alonso, R.J. d'Angelo, E.J. Quel, A.L. Peuriot and V.B. Slezak 68 (1988) 265
Plasma production in a Cs vapour via single-photon ionisation with excimer laser light, W. Gawlik and R. Neumann 68 (1988) 345
Vibrational–translational relaxation time spectroscopy of polyatomic molecules, C. de Lisio and R. Bruzzese 68 (1988) 352

Condensed matter

Optical bandshape theory of Voigt profiles and approximate analytical calculation of broadening parameters for observed spectral absorption bands, M.G. Zakaraya and J. Ulstrup 68 (1988) 107
Contrast of an integrated fringe pattern generated by partially developed speckle, B. Grzegorzewski 68 (1988) 117

Plasmas

The effect of the instrument function on Doppler ion temperature measurements, K.D. Lawson and N.J. Peacock 68 (1988) 121
Imaging of laser-produced plasmas at 44 Å using a multilayer mirror, C.M. Brown, U. Feldman, J.F. Seely, M.C. Richardson, H. Chen, J.H. Underwood and A. Zigler 68 (1988) 190
Plasma production in a Cs vapour via single-photon ionisation with excimer laser light, W. Gawlik and R. Neumann 68 (1988) 345
Refraction effects in laser–plasma interaction, D. Giulietti 68 (1988) 399
Plasma evolution in laser-irradiated cylindrical cavities, P.F. Cunningham, R. Weber, P. Lädrach and J.E. Balmer 68 (1988) 412

Lasers

Line tunable TEA CO_2 laser using SFUR configuration, R. Barbini, A. Ghigo, A. Palucci and S. Ribezzo 68 (1988) 41
Active–passive mode-locked and mechanically Q-switched frequency tunable Nd:glass laser, H. Schillinger and A. Penzkofer 68 (1988) 45
RF excited carbon monoxide laser, G.N. Pearson and D.R. Hall 68 (1988) 52
The frequency split phenomenon in a HeNe laser with a rotational quartz plate in its cavity, S. Yang and S. Zhang 68 (1988) 55
Pulsed noble gas mixture slotted hollow cathode lasers, M. Jánossy, P. Mezei, P. Horváth and L. Csillag 68 (1988) 58
Spontaneous spatial pattern formation in lasers and cooperative frequency locking, L.A. Lugiato, G.-L. Oppo, M.A. Pernigo, J.R. Tredicce, L.M. Narducci and D.K. Bandy 68 (1988) 63
Optically-pumped collective emission in $^{130}Te_2$, E. Boursey, H. Damany, J. D'Incan, C. Effantin and A. Topouzkhanian 68 (1988) 114
Measurements of fibre laser losses via relaxation oscillations, D.C. Hanna, R.G. Smart, P.J. Suni, A.I. Ferguson and M.W. Phillips 68 (1988) 128
Determination of power spectra and attractor dimensions for a GaAlAs laser with external feedback, P. Glas, R. Müller and G. Wallis 68 (1988) 133
Neodymium-fibre laser with integrated-optic mode locker, G. Geister and R. Ulrich 68 (1988) 187
Simplified laser system for the generation of 60 fs pulses at 248 nm, S. Szatmári and F.P. Schäfer 68 (1988) 196
Laser cooling of an optically thick gas: the simplest radiation pressure trap?, J. Dalibard 68 (1988) 203
Stabilization of a single mode dye laser to a HeNe laser using magnetic modulation of a three-level neon system, B. Ståhlberg, P. Jungner and T. Fellman 68 (1988) 209
Active mode-locking through loss modulation: chirped pulse solutions, M. Morin, M. Piche and R. Tremblay 68 (1988) 213
Atomic lead photodissociation laser at 722.9 nm, J. Zhang, B. Cheng, D. Zhang, L. Zhao, Y. Zhao and T. Wang 68 (1988) 220
Iodine stabilized HeNe laser at 612 nm with composite resonator, M.V. Danileyko, A.L. Kravchuk, A.M. Tselinko and L.P. Yatsenko 68 (1988) 263
Pulsed, frequency stable, narrow linewidth master oscillator, K.K. Lee 68 (1988) 271
Low *J*-number behavior of the $^{13}CH_3F$ Raman FIR laser, W.-S. Zhu and J.R. Izatt 68 (1988) 277
Average-power limitations of large-aperture self-heated Ca^+ afterglow-recombination lasers, C.E. Little and J.A. Piper 68 (1988) 282

48 fs, 190 kW pulse generation from a cavity dumped, synchronously pumped dye laser, K. Kurokawa, H. Kubota and M. Nakazawa 68 (1988) 287
Pulse compression by free electrons, I.P. Christov and M.B. Danailov 68 (1988) 291
Reduction of the effects of backscattering in a HeNe ring laser by increased loss and gain, L.J. Wang and L. Mandel 68 (1988) 357
Synchronous and hybrid mode-locking of a Styryl 13 dye laser, T.S. Stark, M.D. Dawson and A.L. Smirl 68 (1988) 361
Quantum theory of cavity quasimodes, S.M. Barnett and P.M. Radmore 68 (1988) 364
Slippage and superradiance in the high-gain FEL: linear theory, R. Bonifacio, C. Maroli and N. Piovella 68 (1988) 369
Temperal evolution of X-ray spectra from laser microtube targets, Z. Lin, J.-M. Li, M. Gong, H. Zhang, X. Zhang, X. He, Z. Lei, Q. Lu, Z. Gu, B. Yang, W. Zhao, Y. Zhuang and W. Yu 68 (1988) 418
Contribution of shot noise to laser diode linewidth, J. Arnaud 68 (1988) 423
Cavity dumped operation of a cw pumped Q-switched and mode-locked YLF laser, L. Min, Q. Bao and R.J. Dwayne Miller 68 (1988) 427
Determination of EM field in Q-switched laser resonators, D. Hanzel and M. Copic 68 (1988) 431
Dynamical frequency shifts and intensity pulsations in an FIR bidirectional ring laser, N.B. Abraham and C.O. Weiss 68 (1988) 437

Nonlinear optics

Soliton propagation in optical fibers with random perturbations, Y. Zhao 68 (1988) 21
Optical bistability and electrically controlled optical switching in non-band gap resonant CdHgTe, D. Craig 68 (1988) 69
CARS temperature studies of the gas phase in a Massmann-type graphite tube furnace, N. Wenzel, B. Trautmann, H. Große-Wilde, G. Schlemmer, B. Welz and G. Marowsky 68 (1988) 75
Raman induced Kerr effect spectroscopy using pulsed lasers, J. Borysow, R.H. Taylor and J.W. Keto 68 (1988) 80
A Nd:YAG laser pumped soliton self-frequency shifter, A.S. Gouveia-Neto, A.S.B. Sombra and J.R. Taylor 68 (1988) 139
An exact calculation of the expectation values of phase operators in squeezed states, H.-Y. Fan and H.R. Zaidi 68 (1988) 143
Surface second harmonic generation spectroscopy without interference of substrate contributions, G.A. Reider, M. Huemer and A.J. Schmidt 68 (1988) 149
Magnetooptical solitons and simultons, V.K. Mezentsev and G.I. Smirnov 68 (1988) 153
Atomic lead photodissociation laser at 722.9 nm, J. Zhang, B. Cheng, D. Zhang, L. Zhao, Y. Zhao and T. Wang 68 (1988) 220
Two-photon absorption in silica optical fibers measured with a XeBr excimer laser, T. Mizunami and K. Takagi 68 (1988) 223
Dynamics of hologram readout in photorefractive crystals for broken Bragg-condition, J. Goltz, C. Denz and T. Tschudi 68 (1988) 228
Optically induced reorientational birefringence in an artificial anisotropic Kerr medium, R. Pizzoferrato, M. Marinelli, U. Zammit, F. Scudieri, S. Martellucci and M. Romagnoli 68 (1988) 231
Changes in the space structures of light beams induced by nonlinear optical phenomena: application to phase contrast and image processing, Ng. Phu Xuan, J.L. Ferrier, J. Gazengel, G. Rivoire, G.L. Brekhovskhikh, A.D. Kudriavtseva, A.I. Sokolovskaia and N.V. Tcherniega 68 (1988) 244

High-repetition-rate amplification of tunable femtosecond pulses with a Q-switched cw Nd:YAG pumping laser, Y. Ishida, T. Tokizaki and T. Yajima 68 (1988) 295
Effect of double refraction on type II phase matched second harmonic generation, S.C. Mehendale and P.K. Gupta 68 (1988) 301
Coupled-cavity configuration for optical bistability, M. Haelterman 68 (1988) 305
Suppression of electronic hyper-Raman emission by four-wave mixing interference, M.A. Moore, W.R. Garrett and M.G. Payne 68 (1988) 310
Slippage and superradiance in the high-gain FEL: linear theory, R. Bonifacio, C. Maroli and N. Piovella 68 (1988) 369
Effects of scattered radiation on non-linear light propagation, A.W. McCord, R.J. Ballagh and J. Cooper 68 (1988) 375
Theoretical and experimental studies of conical Stokes emission, G.X. Jin, J.M. Yuan, L.M. Narducci, Y.S. Liu and E.J. Seibert 68 (1988) 379
Propagation of nonlinear incoherent pulses in single-mode optical fibers, F.G. Bass, Yu.S. Kivshar, V.V. Konotop and S.A. Puzenko 68 (1988) 385
Generation of high-order stimulated Raman scattering in photolytic atomic Pb, J. Zhang, L. Zhao, B. Cheng, D. Zhang, Y. Zhao and T. Wang 68 (1988) 442
Optical bistability and effect of output signal pulsations due to increasing absorption in bulk ZnSe, V.A. Stadnik 68 (1988) 445
Phase mismatching in a perturbational approach to degenerate four-wave mixing, P.M. Petersen 68 (1988) 449
Critical coupling strength for enhanced four-wave mixing by use of moving interference gratings in photorefractive crystals, J. Goltz, C. Denz and T. Tschudi 68 (1988) 453